(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 8 November 2001 (08.11.2001)

PCT

(10) International Publication Number WO 01/82719 A1

- (51) International Patent Classification7: A23K 1/16, 1/18, A61K 35/78, A61P 37/00
- (21) International Application Number: PCT/US01/13660
- (22) International Filing Date: 27 April 2001 (27.04.2001)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 60/201,028

1 May 2000 (01.05.2000) U

- (71) Applicant: THE IAMS COMPANY [US/US]; 7250 Poe Avenue, Dayton, OH 45414 (US).
- (72) Inventors: HAYEK, Michael, G.; 926 Tammy Circle, Dayton, OH 45415 (US). MASSIMINO, Stefan, P.; 4107 Apartment E, Indian Runn Drive, Dayton, OH 45415 (US). BOEBEL, Katherine, P.; 1284 Enterprise Road, West Alexandria, OH 45381 (US).
- (74) Agents: LUNA, Susan, M. et al.; Killworth, Gottman, Hagan & Schaeff, L.L.P., One Dayton Centre, Suite 500, One South Main Street, Dayton, OH 45402-2023 (US).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



4

(54) Title: PROCESS FOR ENHANCING IMMUNE RESPONSE IN CANINES USING A DIETARY COMPOSITION INCLUDING GARLIC

(57) Abstract: A composition and method for enhancing immune response and improving the overall health of canines is provided which includes feeding the canines a dietary composition containing an effective amount of garlic in an amount of from about 1 to 10 g/kg diet. The dietary composition, when fed to canines, provides antioxidant, anticancer, and immunomodulatory benefits. The canines are fed the composition containing an effective amount of garlic in a quantity and frequency appropriate for their nutritional needs resulting in an enhanced immune response by increased lymphocyte blastogenesis and improves the overall health of the animal.

-1-

PROCESS FOR ENHANCING IMMUNE RESPONSE IN CANINES USING A DIETARY COMPOSITION INCLUDING GARLIC

This invention relates to a dietary composition and method for enhancing immune response and improving the overall health of canines, and more particularly, to a dietary composition which includes an effective amount of garlic, which, when fed to canines, provides antioxidant, anticancer, and immunomodulatory benefits.

In recent years, the health effects of garlic for humans have become an area of active research with regard to the prevention and treatment of disease. Garlic may be provided in many forms; e.g., as a natural product in raw or cooked form, as a water or oil soluble extract, a powder, and as purified forms of the bioactive compounds.

Studies have shown that organosulfur compounds found in garlic have antioxidant properties. In addition, it has been found that garlic may also function as an anticancer agent. For example, the garlic compound S-allylmercaptocysteine has been found to reduce the growth of human prostate carcinoma LNCaP cells. Garlic has also been found to reduce the incidence of chemical induced tumors in rats.

It is also believed that the sulfur-containing components of garlic may contribute to immune modulating properties. For example, a garlic extract and a garlic protein fraction have been found to increase the oxidative burst of a J744 mouse macrophage cell line and mouse peritoneal macrophages.

However, few studies have been conducted to evaluate the effects of garlic on companion animals such as canines. Accordingly, there is still a need in the art for a method of utilizing the health benefits of garlic in a dietary composition for canines.

The present invention meets that need by providing a process for feeding dogs a diet containing an effective amount of garlic which has been found to provide enhanced immune response and improve the overall health of the animal. Preferably, the dog is fed a diet which includes garlic in an amount of from about 1 to 10 g/kg diet.

When a composition containing an effective amount of garlic is administered to dogs in a quantity and frequency appropriate for their nutritional needs, it has been found that the immune response is enhanced by increased lymphocyte blastogenesis.

-2-

Accordingly, it is a feature of the present invention to provide a process for enhancing immune response and improving the overall health of dogs by providing an effective amount of garlic in the diet of the animal. This, and other features and advantages of the present invention, will become apparent from the following detailed description and accompanying drawings.

Fig. 1 is a graph of cytokine production by peripheral blood monocytes in control- and garlic-fed dogs; and

Fig. 2 is a graph of lymphocyte blastogenesis in control- and garlic-fed dogs.

The present invention uses a dietary composition for dogs which contains garlic in an amount of between about 1 to 10 g/kg diet. Such a diet provides sufficient garlic to provide antioxidant, anticancer, and immunomodulatory effects.

A preferred garlic for use in the present invention is a premium garlic powder which is commercially available from Gilroy Foods. This form of garlic is preferably comprised of dehydrated garlic prepared from fresh pungent varieties of Allium sativum which has been cleaned, sliced, dehydrated and milled to powder. However, it should be appreciated that other forms of garlic which provide the desired antioxidant, anticancer, and immunomodulatory effects may also be used.

The dietary composition may be in the form of any suitable dog food formula which
also provides adequate nutrition for the animal. For example, a typical canine diet for use in
the present invention may contain about 20-40% crude protein, about 4-30% fat, and about 111% total dietary fiber on a dry matter basis. However, no specific ratios or percentages of
these or other nutrients are required. The garlic may be blended with such a dietary
composition to provide the beneficial amounts needed. Alternatively, the garlic may be
provided in the form of a dietary supplement.

An experiment was conducted to study the potential beneficial effects of garlic on the immune response of dogs. 28 Beagle dogs (age range: 2 - 4 years) were fed a basal control diet for 30 days. Dogs were then randomized by body weight and divided into 2 groups. Within each group, half the dogs continued to receive the control diet and the other half were switched onto the garlic diet. This experimental period was conducted over a 77-day period. Blood

-3-

was taken at the end of the baseline period (T1 - day 0 of the experimental period), in the middle of the experimental period (T2 - day 35) and at the end of the study (T3 - day 77) in order to determine in vitro immune function (by lymphocyte blastogenesis) as well as cytokine production (tumor necrosis factor; TNF-á), interleukin-1 (IL-1), and IL-6. Urine was collected at these time points and immediately frozen in order to analyze for various markers of oxidative stress. In vivo immune function was determined by a delayed-type hypersensitivity (DTH) response test using a nonspecific antigen (phytohemagglutinin), a specific mitogen (Duramune® vaccine [Fort Dodge Laboratories]), and control (saline) to induce an inflammatory response and induration was measured at 24, 48, and 72 hours postinjection with data expressed as measurements corrected for saline. Dogs were weighed weekly and fed to maintain body weight throughout the study. Water was provided ad libitum.

See Table 1 for the ingredients and composition of diets.

Table 1. Ingredient composition of diets

	Ingredient	Control Diet	Garlic Diet	
15		g/kg		
	Ground corn	510	510	
	Refined poultry by-product meal	205	205	
	Poultry fat	89	89	
	Menhaden fishmeal	85	85	
20	Beet pulp	35	35	
	Chicken digest	35	30	
	Dicalcium phosphate	11	11	
	Dried whole egg	8	8	
25	Brewers dried yeast	7	7	
	Potassium chloride	3	3	
	Ground flax	3	3	
	Mineral mix	3	3	
	Vitamin mix	2	2	
30	Sodium chloride	2	2	
	DL-methionine	1	1	
	Choline chloride	1	1	
	Garlic powder	_	5	

-4-

Isolation of mononuclear cells. Blood collected in heparinized tubes was diluted in calcium- and magnesium-free Hanks balanced salt solution (HBSS) (1:1), layered onto Ficollhypaque, and centrifuged at approximately 400 X g for 20 minutes. The mononuclear cells were harvested, washed in HBSS, and resuspended in RPMI-1640 growth medium containing 5 mg/mL bovine serum albumin (BSA), 100 U/mL penicillin, 100 µg/mL streptomycin, and 1% L-glutamine. Cells were counted in a Coulter counter (Coulter Corporation, Hialeah, FL), and 1 X 106 cells in 7 mL of medium were plated in 60 mm well plates and allowed to adhere for 2-3 hours in a humidified CO₂ incubator at 37°C. The nonadherent cells were removed by gentle washing with medium, and the isolated monocytes incubated with growth medium plus 10 10 μg/ml of O55:B5 Eschericia coli lipopolysaccharide for 24 hours. The culture supernatant fluid was harvested, and the adherent cells digested with 1N ammonium hydroxide and 0.2% Triton X-100 for total cellular DNA quantitation.

Cytokine assays. Bioassays for IL-1, TNF-like activity, and IL-6 were performed as previously described. Mouse plasmacytoma cell line (T1165.17), which proliferates in 15 response to IL-1 and IL-6, was used to assay for IL-1 activity. To determine specific IL-1 activity, the IL-1 receptor on the T1165.17 cell line was blocked using a monoclonal antibody (LA 15.6) to the IL-1 receptor. Murine fibroblasts (L929) were used to assay for TNF-like activity and the IL-6 bioassay was performed using B9 cells. Data from the bioassays were expressed as pg of cytokine per μ g of monocyte DNA.

20

Lymphocyte blastogenesis. Mononuclear cells from the blood were isolated as described above via centrifugation on Ficoll-hypaque. After washing in HBSS cells were resuspended in culture medium containing 10% heat inactivated fetal calf serum, 100 U/mL penicillin, 100 µg/mL streptomycin, and 1% L-glutamine and adjusted to a final concentration of 1 X 10⁶ cells/mL. Concanavalin A (Con A) was added to 3 wells of a 96-well plate for each 25 sample and 200 µL of the mononuclear cell suspension added. The final concentration of Con A in each well was 10 μ g/mL. The culture plates were incubated at 37°C in a cell culture incubator for 72 hours, and then each well was pulsed with 1 μ Ci of [3H]thymidine (50 μ L volume) and incubated an additional 24 hours. Cells were harvested on glass fiber filters (PHD cell harvester), and the amount of [3H]thyrnidine incorporation determined (decays per minute; 30 DPM) in a scintillation counter.

-5-

Cytokine production. There was no significant difference between the control- and garlic-fed animals for any of the cytokines measured. There was also no significant change in the garlic-fed animals compared to baseline values (T1), although there was a slight trend (not significant) for reduced TNF and IL-6 with garlic feeding (Figure 1).

Lymphocyte blastogenesis. There was no significant difference between the controland garlic-fed group in lymphocyte proliferative response to the mitogen Con A. However, in the garlic-fed group there was a significant linear trend (P = .0003) for increased lymphocyte blastogenesis from T1 (baseline) to T3 (77 days). Moreover, lymphocyte blastogenesis was significantly increased (P < .05) at T3 (77 days) compared to the initial baseline values at T1 10 (Figure 2).

Delayed-type hypersensitivity. There were no significant differences between the dietary groups in delayed-type hypersensitivity (DTH) response. At the midpoint of the study (35 days), there was some indication of a trend (not significant) for increased hypersensitivity to Duramune vaccine in the garlic-fed group, but this trend was not maintained and there was 15 no evidence of a garlic effect on DTH by the end of the study.

Results

20

5

Garlic powder had no effect on cytokine production from canine peripheral blood mononuclear cells or on DTH response. However, the garlic-fed dogs had significantly enhanced lymphocyte blastogenesis compared to their baseline values.

The results demonstrate that garlic can function as an immunomodulatory agent. Garlic demonstrated an immunomodulatory effect with respect to mitogen-induced lymphocyte blastogenesis.

While certain representative embodiments and details have been shown for purposes of illustrating the invention, it will be apparent to those skilled in the art that various changes in 25 the methods and apparatus disclosed herein may be made without departing from the scope of the invention, which is defined in the appended claims.

-6-

CLAIMS

- A method for enhancing immune response in a dog comprising feeding said dog a diet including an effective amount of garlic for a time sufficient for said garlic to absorbed by said dog.
- 5 2. The method of claim 1 in which said diet includes from about 1 to 10g garlic per kg of diet.
 - 3. The method of claim 1 wherein said diet comprises, on a dry matter basis, about 20 to 40% by weight protein, about 4 to 30% by weight fat, and about 1 to 11% total dietary fiber.
- A method for increasing lymphocyte blastogenesis in a dog comprising feeding said
 dog a a diet including an effective amount of garlic for a time sufficient for said garlic to absorbed by said dog.
 - 5. The method of claim 1 in which said diet includes from about 1 to 10g garlic per kg of diet.
- 6. The method of claim 1 wherein said diet comprises, on a dry matter basis, about 20 to 40% by weight protein, about 4 to 30% by weight fat, and about 1 to 11% total dietary fiber.




FIG. 2

INTERNATIONAL SEARCH REPORT

ints ional Application No PCT/US 01/13660

			1/03 01/13000
A. CLASSII IPC 7	FICATION OF SUBJECT MATTER A23K1/16 A23K1/18 A61K35,	/78 A61P37/00	
According to	o international Patent Classification (IPC) or to both national classi	lication and IPC	
	SEARCHED		
Mintmum do IPC 7	cumentation searched (classification system followed by classific A23K A61K A61P	ation symbols)	
Documentat	ion searched other than minimum documentation to the extent tha	1 such documents are included	in the fields searched
	ata base consulted during the International search (name of data ternal, PAJ, WPI Data, BIOSIS, CAB		ch terms used)
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with Indication, where appropriate, of the	relevant passages	Relevant to claim No.
Р,Х	US 6 156 355 A (BENNETT JEFFREY 5 December 2000 (2000-12-05) column 3, line 20 - line 27 column 14, line 38 - line 55 claim 5	P ET AL)	1
X	US 6 007 860 A (ERASMUS UDO ET 28 December 1999 (1999-12-28) examples 3,4	AL)	1
Υ			2,3
Y	US 5 776 524 A (REINHART GREGOR' 7 July 1998 (1998-07-07) column 2, line 18 - line 51 example	(A)	2,3
		-/	
X Furti	her documents are listed in the continuation of box C.	Patent family memb	era are listed in annex.
	rlegones of cried ducuments:		after the international filing date
consid	ant delining the meneral state of the lart which is not deted to be of particular relevance document but published on or after the international	invention	principle or theory underlying the
filing of "L" docume which		cannot be considered no involve an inventive step "Y" document of particular re	levance; the claimed invention to cannot be considered to when the document is taken alone levance; the claimed invention involve an inventive step when the
other (ent referring to an oral disclosure, use, exhibition or means ent published prior to the international filling date but	document is combined v	with one or more other such docu- n being obvious to a person skilled
later ti	actual completion of the international search	*&* document member of the Date of mailing of the int	
	2 September 2001	20/09/2001	emenvier soarch tebou
Name and I	mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer	
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Dekeirel,	М

INTERNATIONAL SEARCH REPORT

Ints onal Application No PCT/US 01/13660

(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
<u> </u>	FR 2 595 548 A (AMANN CHANTAL) 18 September 1987 (1987-09-18) page 1, line 5 - line 28 page 11, line 15 -page 14, line 9 claims 1,2,7	1-3
(WO 99 48381 A (ALLEN BARBARA A ;STABAR ENTERPRISES INC (US)) 30 September 1999 (1999-09-30) page 2, line 3 - line 10 page 4, line 25 - line 31 claims 1,4,30,34	1
A	L.W.V. DEBOER ETAL.: "Partial protection from platelet thrombi in canine coronaries" FEDERATION PROCEEDINGS, vol. 46, no. 4, 1987, page 1316 XP001024180 BETHESDA, MD, US ISSN: 0014-9446 column 2, Abstract 5830	1,4
A	PATENT ABSTRACTS OF JAPAN vol. 007, no. 039 (C-151), 17 February 1983 (1983-02-17) -& JP 57 192318 A (RIKEN KAGAKU KOGYO KK), 26 November 1982 (1982-11-26) abstract	1
A	US 5 141 755 A (WEISMAN ERIC H) 25 August 1992 (1992-08-25) column 4, line 56 - line 62 claims 1,11,12	1-3
A	WO 00 01399 A (COASTSIDE BIO RESOURCES ;COLLIN PETER DONALD (US)) 13 January 2000 (2000-01-13) example 1	1
A	US 5 976 549 A (LEWANDOWSKI JOAN) 2 November 1999 (1999-11-02) column 2, line 40 - line 49 claims 1-5	1
A	GB 2 321 583 A (JENNINGS TERENCE ; GREENE PHELIM (IE)) 5 August 1998 (1998-08-05) page 2, line 15 -page 4, line 5 claims 1,2,4	1
A	WO 93 06749 A (STOLTZ EDWIN I) 15 April 1993 (1993-04-15) page 18, line 20 -page 19, line 22 claims 16,17	1

INTERNATIONAL SEARCH REPORT

information on patent family members

tnte. consi Application No PCT/US 01/13660

Patent document dited in search repor	t	Publication date	Patent family member(s)	Publication date
US 6156355	Α	05-12-2000	NONE	
US 6007860	A	28-12-1999	US 5834048 A US 5656312 A US 6001401 A US 6060102 A	10-11-1998 12-08-1997 14-12-1999 09-05-2000
			US 6165539 A US 6060101 A	26-12-2000 09-05-2000
US 5776524	Α	07-07-1998	NONE	····
FR 2595548	Α	18-09-1987	NONE	
WO 9948381	Α	30-09-1999	US 5965153 A US 6149932 A AU 3191999 A EP 1073343 A	12-10-1999 21-11-2000 18-10-1999 07-02-2001
JP 57192318	Α	26-11-1982	NONE	
US 5141755	Α	25-08-1992	NONE	
WO 0001399	A	13-01-2000	AU 4969499 A GB 2355196 A AU 5089400 A WO 0074662 A	24-01-2000 18-04-2001 28-12-2000 14-12-2000
US 5976549	A	02-11-1999	NONE	
GB 2321583	A	05-08-1998	IE 970063 A	10-09-1997
WO 9306749	А	15-04-1993	AT 150259 T AU 670543 B AU 2766492 A CA 2120357 A DE 69218446 D DE 69218446 T EP 0607272 A US 5455055 A US 5650185 A	15-04-1997 25-07-1996 03-05-1993 15-04-1993 24-04-1997 02-10-1997 27-07-1994 03-10-1995